## Title: INDICAID® COVID-19 Rapid Antigen At-Home Test Extraction Buffer



SDS

Document #: SDS-0036/ Revision A

Status: Current; Effective date: 2022/05/23

#### **SAFETY DATA SHEET**

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: INDICAID® COVID-19 Rapid Antigen At-

Home Test extraction buffer

Product form: Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: In vitro diagnostic test sample extraction

buffer for self-use/at-home use

1.3 Details of the supplier of the safety data sheet

Manufacturer Phase Scientific International Limited

32 & 33F, Gravity, 29 Hing Yip St.

Kowloon, Hong Kong

www.phasescientific.com

1.4 Emergency telephone number

**Emergency Number** 

+852 9135 2570 [Hong Kong]

+1 (657) 296-6106 [US]

## Section 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

When used under normal operating condition according to the product's instructions for use, this product is anticipated to pose no significant health effects. Repeated use or prolonged exposure is not known to aggravate any medical conditions.

Product is not a hazardous substance or mixture according to Regulation (EC) No 1272/2008. Product is not classified under GHS US classification.

## 2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008. GHS US labelling: Not applicable.

#### 2.3 Other hazards

Diluent buffer:

Eye contact: Irritation
Skin contact: Irritation

Ingestion: Potentially harmful if swallow

Inhalation: None known.

# Title: INDICAID® COVID-19 Rapid Antigen At-Home Test Extraction Buffer



SDS

Document #: SDS-0036/ Revision A

Status: Current; Effective date: 2022/05/23

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **Composition of Extraction Buffer**

The product is a mixture of unlisted non-hazardous substances along with the hazardous substances listed below.

Chemical Name	CAS#	Concentration (%)	Hazard Statement
ProClin 300	26172-55-4; 2682- 20-4	≤ 0.3	Non-hazardous at this concentration
Triton X-100	9002-93-1	≤ 0.1	Non-hazardous at this concentration

#### Section 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

#### In case of skin contact

Immediately wash thoroughly with running water for at least 15 min

# In case of eye contact

Rinse thoroughly with plenty of water, also under the eyelids for at least 15 minutes.

#### If swallowed

Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with plenty of water and seek immediate medical attention.

If symptoms persist, seek medical attention or poison control center at <a href="https://www.poison.org/contact-us">https://www.poison.org/contact-us</a> or 1-800-222-1222.

#### Section 5: FIRE-FIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

This material is non-flammable and non-reactive under normal condition of use, storage and transport.

## 5.3 Advice for firefighters

This product does not contain combustible materials.

Special Exposure Hazards: None known.

# Title: INDICAID® COVID-19 Rapid Antigen At-Home Test Extraction Buffer



SDS

Document #: SDS-0036/ Revision A

Status: Current; Effective date: 2022/05/23

#### Section 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Take proper precautions to minimize exposure by using personal protective equipment. For personal protection see section 8.

## 6.2 Environmental precautions

Do not flush INDICAID® COVID-19 Rapid Antigen At-Home Test extraction buffer in drains.

## 6.3 Methods and materials for containment and cleaning up

Soak up spills with inert absorbent material and dispose used devices as hazardous waste. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## Section 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Wear personal protective equipment.

## 7.2 Conditions for safe storage, including any incompatibilities

Avoid direct sunlight. Store at 2-8°C (35.6-46.4°F) in original sealed package.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## **Appropriate engineering controls**

General industrial hygiene practice. Change contaminated clothing. Wash hands after working with substance. Minimize any anticipated skin and eye contact.

## **Personal Protection Equipment**

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Safety glasses or goggles

#### **Respiratory protection**

A risk assessment is required.

# Title: INDICAID® COVID-19 Rapid Antigen At-Home Test Extraction Buffer



SDS

Document #: SDS-0036/ Revision A

Status: Current; Effective date: 2022/05/23

## Hands and other skin protection

Handle with impervious gloves. The choice of skin protection should be based on the job activity and potential for exposure to the skin. Laboratory coat and/or protective clothing recommended.

## **Body Protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Control of environmental exposure

Do not let product enter drains.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

	INDICAID® COVID-19 Rapid Antigen At-Home Test		
	Extraction Buffer		
Appearance	Odourless, clear liquid		
рН	7.2 ± 0.2		
Melting point	No information available		
Boiling point	No information available		
Specific Gravity (H <sub>2</sub> O = 1)	No information available		
Vapor Pressure (mmHg & temp)	No information available		
Percent Volatile (%)	No information available		
Vapor Density	No information available		
Evaporation (Butyl Acetate = I)	No information available		
Solubility in Water	soluble		
Solubility in Fat	No information available		
Flash Point (method used)	No information available		
Auto-flammability	No information available		
Explosive Properties	None		
Oxidizing Properties	None		
Partition Coefficient	No information available		

## Section 10: STABILITY AND REACTIVITY

10.1 Stability

10.2 Conditions to avoid

**10.3 Hazardous decomposition products** 

10.4 Incompatibility

Stable under normal conditions of use

Excessive heat, direct sunlight

Not established.

Strong acids or alkalines

## Title: INDICAID® COVID-19 Rapid Antigen At-Home Test Extraction Buffer



SDS

Document #: SDS-0036/ Revision A

Status: Current; Effective date: 2022/05/23

# Section 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute toxicityNo information availableEyesNo information availableSkinNo information availableInhalationNo information availableIngestionNo information available

**Specific Effects** 

Chronic Toxicity (Target Organ Effects)No information availableCarcinogenic effectsNo information availableMutagenic effectsNo information availableReproductive toxicityNo information availableSensitizationNo information availableTarget Organ EffectsNo information available

#### Section 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity effectsNo information available12.2 MobilityNo information available12.3 BiodegradationNo information available12.4 BioaccumulationNo information available

#### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Dispose in accordance with all applicable local and national regulations

#### Section 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMGD: - IATA: -

**14.2 UN proper shipping name** ADR/RID: Not regulated

IMDG: Not regulated IATA: Not regulated

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: No IMDG Marine pollutant: no IATA: no

# Title: INDICAID® COVID-19 Rapid Antigen At-Home Test Extraction Buffer SDS



Document #: SDS-0036/ Revision A

Status: Current; Effective date: 2022/05/23

According to the 63rd edition (2022) of IATA Dangerous Goods Regulations, the products are not dangerous, poisonous, harmful, corrosive, flammable, or explosive. They are not spiritual medicines, not aesthetic or narcotic, and cannot be used to make bio-chemical weapons.

## Section 15: REGULATORY INFORMATION

Regulation (EC) No 1272/2008 – classification, labelling and packaging of substances and mixtutres (CLP)

Regulation (EC) No. 1907/2006- Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

GHS HazCom 2012

Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

#### Section 16: OTHER INFORMATION

#### **Further information**

This information is based on our present knowledge. The information given is designed only as a guidance for safe handling and is not to be considered a warranty or quality specification. All materials and mixtures may present unknown hazards and should be used with caution.